



## SAFETY DATA SHEET

Product Name **SOFT CARE INSTANT HAND SANITISER - FRAGRANCE FREE**

### 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

**Supplier name** DIVERSEY AUSTRALIA PTY. LIMITED  
**Address** 29 Chifley St, Smithfield, NSW, 2164, AUSTRALIA  
**Telephone** (02) 9757 0300  
**Fax** (02) 9725 5767  
**Emergency** 1800 033 111 (24 hrs)  
**Email** [aucustserv@diversey.com](mailto:aucustserv@diversey.com)  
**Web site** <http://www.diversey.com>  
**Synonym(s)** ALL PACK SIZES  
**Use(s)** HAND SANITISER  
**SDS date** 13 January 2015

### 2. HAZARDS IDENTIFICATION

CLASSIFIED AS HAZARDOUS ACCORDING TO SAFE WORK AUSTRALIA CRITERIA

**Risk Phrases**

R11 Highly flammable.

**Safety Phrases**

S2 Keep out of reach of children.

S7 Keep container tightly closed.

S16 Keep away from sources of ignition - No smoking.

CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE

**UN Number** 1170 **Transport Hazard Class** 3  
**Packing Group** II **Hazchem Code** •2YE

### 3. COMPOSITION/ INFORMATION ON INGREDIENTS

Ingredient	CAS Number	EC Number	Content
ETHANOL	64-17-5	200-578-6	>60%
NON HAZARDOUS INGREDIENTS	Not Available	Not Available	Remainder

### 4. FIRST AID MEASURES

**Eye** If in eyes, hold eyelids apart and flush continuously with running water. Continue flushing until advised to stop by a Poisons Information Centre, a doctor, or for at least 15 minutes.

**Inhalation** Due to product form / nature of use, an inhalation hazard is not anticipated.

**Skin** If an irritation or rash develops, gently flush affected areas with water and discontinue use.

**Ingestion** For advice, contact a Poison Information Centre on 13 11 26 (Australia Wide) or a doctor (at once).

**Advice to doctor** Treat symptomatically.

### 5. FIRE FIGHTING MEASURES

<b>Flammability</b>	Highly flammable. May evolve carbon oxides and hydrocarbons when heated to decomposition. Eliminate all ignition sources including cigarettes, open flames, spark producing switches/tools, heaters, naked lights, pilot lights, etc when handling.
<b>Fire and explosion</b>	Evacuate area and contact emergency services. Toxic gases may be evolved in a fire situation. Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Use waterfog to cool intact containers and nearby storage areas.
<b>Extinguishing</b>	Water fog or foam. Prevent contamination of drains and waterways.
<b>Hazchem code</b>	<ul style="list-style-type: none"><li>• 2YE</li><li>• Alcohol Resistant Foam is the preferred firefighting medium. Else use;</li><li>2 Fine Water Spray.</li><li>Y Risk of violent reaction or explosion. Wear full fire kit and breathing apparatus. Contain spill and run-off.</li><li>E Evacuation of people in and around the immediate vicinity of the incident should be considered.</li></ul>

## 6. ACCIDENTAL RELEASE MEASURES

<b>Personal precautions</b>	Wear Personal Protective Equipment (PPE) as detailed in section 8 of the SDS.
<b>Environmental precautions</b>	Prevent product from entering drains and waterways.
<b>Methods of cleaning up</b>	If spilt (bulk), mop up area. CAUTION: Spill site may be slippery.
<b>References</b>	See Sections 8 and 13 for exposure controls and disposal.

## 7. STORAGE AND HANDLING

<b>Storage</b>	Store in a cool, dry, well ventilated area, removed from incompatible substances and foodstuffs. Ensure containers are adequately labelled, protected from physical damage and sealed when not in use.
<b>Handling</b>	Before use carefully read the product label. Use of safe work practices are recommended to avoid eye or skin contact and inhalation. Observe good personal hygiene, including washing hands before eating. Prohibit eating, drinking and smoking in contaminated areas.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

### Exposure standards

Ingredient	Reference	TWA		STEL	
		ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>
Ethanol	SWA (AUS)	1000	1880	--	--

<b>Biological limits</b>	No biological limit allocated.
<b>Engineering controls</b>	Avoid inhalation. Use in well ventilated areas. Where an inhalation risk exists, mechanical explosion proof extraction ventilation is recommended. Flammable/explosive vapours may accumulate in poorly ventilated areas. Vapours are heavier than air and may travel some distance to an ignition source and flash back. Maintain vapour levels below the recommended exposure standard.
<b>PPE</b>	
<b>Eye / Face</b>	Not required under normal conditions of use.
<b>Hands</b>	Not required under normal conditions of use.
<b>Body</b>	Not required under normal conditions of use.
<b>Respiratory</b>	Not required under normal conditions of use.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance</b>	CLEAR COLOURLESS GEL
<b>Odour</b>	CHARACTERISTIC ALCOHOLIC ODOUR
<b>Flammability</b>	HIGHLY FLAMMABLE
<b>Flash point</b>	21°C (Ethanol)

**Product Name      SOFT CARE INSTANT HAND SANITISER - FRAGRANCE FREE**

Boiling point	NOT AVAILABLE
Melting point	NOT AVAILABLE
Evaporation rate	NOT AVAILABLE
pH	6.5 (Approximately)
Vapour density	NOT AVAILABLE
Specific gravity	0.87
Solubility (water)	SOLUBLE
Vapour pressure	NOT AVAILABLE
Upper explosion limit	19 % (Ethanol)
Lower explosion limit	3.3 % (Ethanol)
Partition coefficient	NOT AVAILABLE
Autoignition temperature	NOT AVAILABLE
Decomposition temperature	NOT AVAILABLE
Viscosity	13,000 cps (Approximately)
Explosive properties	NOT AVAILABLE
Oxidising properties	NOT AVAILABLE
% Volatiles	NOT AVAILABLE

---

**10. STABILITY AND REACTIVITY**

---

Chemical stability	Stable under recommended conditions of storage.
Conditions to avoid	Avoid contact with incompatible substances.
Material to avoid	Incompatible with oxidising agents (e.g. hypochlorites), acids (e.g. nitric acid), heat and ignition sources.
Hazardous Decomposition Products	May evolve carbon oxides and hydrocarbons when heated to decomposition.
Hazardous Reactions	Hazardous polymerization is not expected to occur.

---

**11. TOXICOLOGICAL INFORMATION**

---

Health Hazard Summary	This product may present a hazard with direct eye contact. Liver damage (cirrhosis) and central nervous system (CNS) depression may occur with high level or chronic ingestion of ethanol. However, due to the nature of use, adverse health effects are not anticipated.	
Eye	Contact may result in irritation, lacrimation, pain and redness.	
Inhalation	Due to the low vapour pressure, an inhalation hazard is not anticipated with normal use.	
Skin	Prolonged or repeated contact may result in mild irritation. Some individuals may experience allergic reaction.	
Ingestion	Ingestion of large quantities may result in nausea, vomiting, intoxication and gastrointestinal irritation.	
Toxicity data	ETHANOL (64-17-5)	
	LC50 (inhalation)	20000 ppm/10 hours (rat)
	LCLo (inhalation)	21900 ppm (guinea pig)
	LD50 (ingestion)	3450 mg/kg (mouse)
	LD50 (intraperitoneal)	3600 ug/kg (rat)
	LD50 (intravenous)	1440 mg/kg (rat)
	LD50 (subcutaneous)	8285 mg/kg (mouse)
	LDLo (ingestion)	1400 mg/kg (human)
	LDLo (intraperitoneal)	3000 mg/kg (dog)
	LDLo (intravenous)	1600 mg/kg (dog)
	LDLo (skin)	20 g/kg (rabbit)
	LDLo (subcutaneous)	19440 (infant)
	TCLo (inhalation)	20000ppm/7 hours (1-22 days pregnant rat - reproductive)
	TDLo (ingestion)	50 mg/kg (human)

---

**12. ECOLOGICAL INFORMATION**

---

Toxicity	No information provided.
Persistence and degradability	No information provided.

Product Name **SOFT CARE INSTANT HAND SANITISER - FRAGRANCE FREE**

**Bioaccumulative potential** No information provided.

**Mobility in soil** No information provided.

**Other adverse effects** This product is not anticipated to cause adverse effects to animal or plant life if released to the environment in small quantities. Not expected to bioaccumulate.

### 13. DISPOSAL CONSIDERATIONS

**Waste disposal** For small amounts, absorb with sand, vermiculite or similar and dispose of to an approved landfill site. Contact the manufacturer/supplier for additional information if disposing of large quantities (if required).

**Legislation** Dispose of in accordance with relevant local legislation.

### 14. TRANSPORT INFORMATION

CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE



	LAND TRANSPORT (ADG)	SEA TRANSPORT (IMDG / IMO)	AIR TRANSPORT (IATA / ICAO)
UN Number	1170	1170	1170
Proper Shipping Name	ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)	ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)	ETHANOL (ETHYL ALCOHOL) or ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
Transport Hazard Class	3	3	3
Packing Group	II	III	III

**Environmental hazards** No information provided

**Special precautions for user**

**Hazchem code** •2YE

**GTEPG** 3A1

**EMS** F-E, S-D

### 15. REGULATORY INFORMATION

**Poison schedule** A poison schedule number has not been allocated to this product using the criteria in the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

**Inventory Listing(s)** **AUSTRALIA: AICS (Australian Inventory of Chemical Substances)**  
All components are listed on AICS, or are exempt.

### 16. OTHER INFORMATION

**Additional information**

**PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:**

The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

**HEALTH EFFECTS FROM EXPOSURE:**

It should be noted that the effects from exposure to this product will depend on several factors including: frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a ChemAlert report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

## Abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS #	Chemical Abstract Service number - used to uniquely identify chemical compounds
CNS	Central Nervous System
EC No.	EC No - European Community Number
GHS	Globally Harmonized System
IARC	International Agency for Research on Cancer
LC50	Lethal Concentration, 50% / Median Lethal Concentration
LD50	Lethal Dose, 50% / Median Lethal Dose
mg/m <sup>3</sup>	Milligrams per Cubic Metre
OEL	Occupational Exposure Limit
pH	relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly alkaline).
ppm	Parts Per Million
STEL	Short-Term Exposure Limit
STOT-RE	Specific target organ toxicity (repeated exposure)
STOT-SE	Specific target organ toxicity (single exposure)
SUSMP	Standard for the Uniform Scheduling of Medicines and Poisons
SWA	Safe Work Australia
TLV	Threshold Limit Value
TWA	Time Weighted Average

## Revision history

Revision	Description
1.1	Standard SDS Review
1.0	Initial SDS creation

## Report status

This document has been compiled by RMT on behalf of the manufacturer, importer or supplier of the product and serves as their Safety Data Sheet ('SDS').

It is based on information concerning the product which has been provided to RMT by the manufacturer, importer or supplier or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer, importer or supplier.

While RMT has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

## Prepared by

Risk Management Technologies  
5 Ventnor Ave, West Perth  
Western Australia 6005  
Phone: +61 8 9322 1711  
Fax: +61 8 9322 1794  
Email: [info@rmt.com.au](mailto:info@rmt.com.au)  
Web: [www.rmt.com.au](http://www.rmt.com.au).

Revision: 1.1

SDS Date: 13 January 2015

**End of SDS**